

**Lieferprogramm Breitreifen - Sommerprofile -**

Reifengröße	Betriebs- kennung	Tragfähig- keit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
175/50 R 13	72V	355	SP Sport 2000 MFS	1540	5 - 6 (6.5)
175/60 R 13	77H	412	SP Sport 2000	1645	5 - 6 (6.5)
185/60 R 13	80H	450	SP Sport 2000	1680	5 - 6.5 (7)
195/45 R 13	75V	387	SP Sport 9000 MFS	1540	6 - 7.5 (8)
195/55 R 13	80V	450	SP Sport 2000	1650	5.5 - 7 (7.5)
205/50 R 13	81V	462	SP Sport 2000 MFS	1655	5.5 - 7.5 (8 !)
# 205/50 R 13	81V	462	SP Sport 9000 MFS	1640	5.5 - 7.5 (8)
225/45 R 13	84V	500	SP Sport 2000 MFS	1645	7 - 8.5 (9)
185/50 R 14	77V	412	SP Sport 2000 MFS	1650	5 - 6.5 (7)
185/55 R 14	79H/V	437	SP Sport 2000 E	1705	5 - 6.5 (7)
# 185/60 R 14	82H	475	SP Sport 2000 E	1765	5 - 6.5 (7)
185/60 R 14	82H/V	475	SP Sport 2000	1765	5 - 6.5 (7)
195/45 R 14	77V	412	SP Sport 2000 MFS	1625	6 - 7.5 (8)
o 195/45 R 14	77V	412	SP Sport 9000 MFS	1620	6 - 7.5 (8)
# 205/45 R 14	80V	450	SP Sport 9000 MFS	1640	6.5 - 7.5 (8)
225/40 R 14	82V	475	SP Sport 2000 MFS	1645	7.5 - 9
o 225/40 R 14	82V	475	SP Sport 9000 MFS	1640	7.5 - 9
255/35 R 14	85V	515	SP Sport 2000 MFS	1645	8.5 - 10
185/55 R 15	82V	475	SP Sport 2000	1785	5 - 6.5 (7)
195/45 R 15	78W	425	SP Sport 2000 MFS	1700	6 - 7.5 (8)
195/45 R 15	78V	425	SP Sport 2040 E	1700	6 - 7.5 (8)
# 195/45 Z R 15	78W	425	SP Sport 9000 MFS	1695	6 - 7.5 (8)
195/50 R 15	82T	475	SP 10 3e	1755	5.5 - 7
195/50 R 15	82V	475	SP Sport 2000	1755	5.5 - 7 (7.5)
# 195/50 R 15	82V	475	SP Sport 2020 E MFS	1755	5.5 - 7 (7.5)
195/50 Z R 15	-/-	475	SP Sport 2020 MFS	1755	5.5 - 7 (7.5)
195/55 R 15	85V	515	SP Sport 2000	1810	5.5 - 7 (7.5)
195/55 Z R 15	-/-	515	SP Sport 2000	1810	5.5 - 7 (7.5)
205/45 R 15	81V	462	SP Sport 2000 E MFS	1730	6.5 - 7.5 (8)
205/45 R 15	81V	462	SP Sport 8000 MFS	1725	6.5 - 7.5 (8)
o 205/45 Z R 15	81W	462	SP Sport 9000 MFS	1720	6.5 - 7.5 (8)
205/50 R 15	86V/W	530	SP Sport 2000	1785	5.5 - 7.5 (8)
205/50 Z R 15	-/-	530	SP Sport 2000	1785	5.5 - 7.5 (8)

# : Neu; o : In Vorbereitung; ! : max. 415 kg; MFS : Mit Felgenschutz

## Lieferprogramm Breitreifen - Sommerprofile -

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
205/55 R 15	87V	545	SP Sport 2000	1855	5.5 - 7.5 (8)
o 205/55 R 15	87V	545	SP Sport 9000 MFS	1850	5.5 - 7.5 (8)
205/55 Z R 15	-/-	545	SP Sport 9000 MFS	1850	5.5 - 7.5 (8)
215/40 Z R 15	-/-	450	SP Sport 9000 MFS	1705	7 - 8.5 (9)
215/45 R 15	85V	515	SP Sport 2000 MFS	1765	7 - 8 (8.5)
215/45 Z R 15	-/-	500	SP Sport 8000 MFS	1765	7 - 8 (8.5)
o 215/45 Z R 15	84W	500	SP Sport 9000 MFS	1765	7 - 8 (8.5)
225/50 Z R 15	-/-	615	SP Sport 9000 MFS	1850	6 - 8 (8.5)
235/55 Z R 15	-/-	690	SP Sport 8000	1965	6.5 - 8.5 (9)
245/35 Z R 15	-/-	500	SP Sport 9000 MFS	1700	8 - 9.5 (10!)
185/50 R 16	81V	462	SP Sport 9000 MFS	1815	5 - 6.5 (7)
195/40 Z R 16	Extra Load	450	SP Sport 9000 MFS	1700	6.5 - 7.5
195/50 R 16	84H	500	SP Sport 2000 E	1845	5.5 - 7
205/45 R 16	83H M0	487	SP Sport 2000 E MFS	1820	6.5 - 7.5 (8)
205/45 R 16	83V	487	SP Sport 2000 E MFS	1820	6.5 - 7.5 (8)
o 205/45 R 16	83W	487	SP Sport 2000 E MFS	1820	6.5 - 7.5 (8)
205/45 Z R 16	-/-	487	SP Sport 9000 MFS	1815	6.5 - 7.5 (8)
205/50 Z R 16	-/-	545	SP Sport 9000 MFS	1860	5.5 - 7.5 (8)
205/55 R 16	91V	615	SP Sport 2000 E	1930	5.5 - 7.5 (8)
205/55 R 16	91V	615	SP Sport 2000 * E MFS	1930	5.5 - 7.5 (8)
205/55 R 16	91W	615	SP Sport 2000 E MFS	1930	5.5 - 7.5 (8)
205/55 Z R 16	91W	615	SP Sport 2000 E MFS	1930	5.5 - 7.5 (8)
# 205/55 Z R 16	91W	615	SP Sport 9000 MFS	1915	5.5 - 7.5 (8)
205/55 R 16	91H/V/W	615	SP Sport 2020 E	1930	5.5 - 7.5 (8)
205/55 Z R 16	91W	615	SP Sport 8000 E MFS	1925	5.5 - 7.5 (8)
205/55 Z R 16	-/-	615	SP Sport 9000 MFS	1925	5.5 - 7.5 (8)
# 215/35 Z R 16	Extra Load	462	SP Sport 9000 MFS	1695	7 - 8.5 (9)
215/40 R 16	82V	475	SP Sport 2000 MFS	1770	7 - 8.5
215/40 R 16	86W Reinforced	530	SP Sport 2040 E MFS	1785	7 - 8.5 (9)
215/40 Z R 16	-/-	475	SP Sport 8000 MFS	1770	7 - 8.5 (9)
# 215/40 Z R 16	-/-	475	SP Sport 9000 MFS	1770	7 - 8.5 (9)
215/55 R 16	93H/V/W	650	SP Sport 2020 E	1970	6 - 7.5 (8)
215/55 R 16	95H/W Reinf.	690	SP Sport 2020 E	1970	6 - 7.5 (8)
215/55 Z R 16	93Y	650	SP Sport 9000 MFS	1965	6 - 7.5 (8)
o 215/55 Z R 16	97Y Extra Load	730	SP Sport 9000 MFS	1965	6 - 7.5 (8)

# : Neu; o : In Vorbereitung; ! : max. 400 kg; **MFS** : Mit Felgenschutz

**Lieferprogramm Breitreifen - Sommerprofile -**

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
225/40 Z R 16	-/-	515	SP Sport 9000 MFS	1795	7.5 - 9 (9.5)
225/45 Z R 16	-/-	580	SP Sport 9000 MFS	1860	7 - 8.5 (9)
225/50 R 16	92V	630	SP Sport 2000 E	1920	6 - 8 (8.5)
225/50 Z R 16	92W	630	SP Sport 2000 * E MFS	1920	6 - 8 (8.5)
225/50 R 16	92V/W	630	SP Sport 2020 E	1920	6 - 8 (8.5)
225/50 Z R 16	-/-	630	SP Sport 9000 MFS	1925	6 - 8 (8.5)
o 225/55 R 16	99H Reinforced	775	SP Sport 2000 E	1995	6 - 8
225/55 R 16	95V/W	690	SP Sport 2000 E	1995	6 - 8 (8.5)
# 225/55 R 16	95V/W	690	SP Sport 9000 MFS	2000	6 - 8 (8.5)
225/55 Z R 16	-/-	690	SP Sport 2000	1995	6 - 8 (8.5)
235/50 Z R 16	95Y	690	SP Sport 9000 MFS	1960	6.5 - 8.5 (9)
o 235/60 R 16	100Y	800	SP Sport 9000 MFS	2105	6.5 - 8.5 (9)
245/45 Z R 16	-/-	670	SP Sport 9000 MFS	1920	7.5 - 9 (9.5)
# 255/35 Z R 16	-/-	560	SP Sport 9000 MFS	1795	8.5 - 10
o 205/40 R 17	80V	450	SP Sport 9090	1800	7 - 8
205/40 Z R 17	-/- M0	450	SP Sport 9000 MFS	1810	7 - 8 (8.5)
205/50 Z R 17	-/-	580	SP Sport 8000 N0	1940	5.5 - 7.5 (8)
205/50 Z R 17	-/-	580	SP Sport 9000 MFS	1935	5.5 - 7.5 (8)
A 215/40 Z R 17	-/-	487	SP Sport 8000 MFS	1865	7 - 8.5
215/40 Z R 17	-/-	487	SP Sport 9000 MFS	1850	7 - 8.5
215/45 Z R 17	-/-	545	SP Sport 9000 MFS	1900	7 - 8 (8.5)
215/50 Z R 17	-/-	615	SP Sport 9000 MFS	1975	6 - 7.5 (8)
225/35 Z R 17	-/-	475	SP Sport 9000 MFS	1800	7.5 - 9
225/45 Z R 17	91W	615	SP Sport 2000 * E MFS	1940	7 - 8.5
225/45 Z R 17	-/-	615	SP Sport 8000 MFS	1935	7 - 8.5 (9)
225/45 Z R 17	-/-	615	SP Sport 8080 E MFS	1920	7 - 8.5
225/45 Z R 17		615	SP Sport 9000 MFS	1935	7 - 8.5 (9)
# 225/45 Z R 17	91Y	615	SP Sport 9090 MFS	1935	7 - 8.5 (9)
o 225/45 Z R 17	91Y	615	SP Sport 9000 MFS	1935	7 - 8.5 (9)
225/50 Z R 17	-/-	650	SP Sport 8060	1990	6 - 8
225/55 Z R 17	97W	730	SP Sport 2000 E	2075	6 - 8
225/55 R 17	97W/Y	730	SP Sport 2020 E	2080	6 - 8
o 225/55 Z R 17	97W	730	SP Sport 9000 MFS	2080	6 - 8
225/55 R 17	101H Extra Load	825	SP Sport 9000 E	2080	6 - 8

# : Neu; o : In Vorbereitung; A : Auslauf; MFS : Mit Felgenschutz

**Lieferprogramm Breitreifen - Sommerprofile -**

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
225/55 R 17	101H Extra Load	825	SP Sport 9000	2075	6 - 8
235/40 Z R 17	-/-	600	SP Sport 8000 MFS	1910	8 - 9.5
235/40 Z R 17	-/-	600	SP Sport 9000 MFS	1895	8 - 9.5
235/45 Z R 17	94Y	670	SP Sport 2000 E MFS	1965	7.5 - 9
235/45 Z R 17	-/-	670	SP Sport 8000 MFS	1965	7.5 - 9 (9.5)
o 235/45 R 17	97H Reinforced	730	SP Sport 9000 MFS	1965	7.5 - 9
235/45 Z R 17	-/-	670	SP Sport 9000 MFS	1965	7.5 - 9 (9.5)
# 235/45 Z R 17	94Y	650	SP Sport 9090 MFS	1955	7.5 - 9
235/55 R 17	99W	775	SP Sport 2000 E MFS	2110	6.5 - 8.5
o 235/55 R 17	99Y	775	SP Sport 9000 MFS	2105	6.5 - 8.5 (9)
A 245/35 Z R 17	-/-	545	SP Sport 8000 MFS	1870	8 - 9.5 (10!)
245/35 Z R 17	-/-	545	SP Sport 9000 MFS	1860	8 - 9.5 (10!)
245/40 Z R 17	-/-	615	SP Sport 8000 MFS	1935	8 - 9.5
245/40 Z R 17	-/-	615	SP Sport 8080 E MFS	1920	8 - 9.5 (10)
245/40 Z R 17	-/-	615	SP Sport 9000 MFS	1925	8 - 9.5 (10)
o 245/40 R 17	91W	615	SP Sport 9090 MFS	1920	8 - 9.5 (10)
245/45 Z R 17	-/-	690	SP Sport 8000 MFS	1990	7.5 - 9 (9.5)
245/45 R 17	95W	690	SP Sport 9000 MFS	1990	7.5 - 9 (9.5)
245/45 Z R 17	-/-	690	SP Sport 9000 MFS	1990	7.5 - 9 (9.5)
o 245/55 R 17	102W	850	SP Sport 2000A MFS	2145	7 - 8.5 (9)
255/40 Z R 17	94Y	670	SP Sport 2000 E MFS	1955	8.5 - 10
255/40 Z R 17	-/-	670	SP Sport 8000 N0	1935	8.5 - 10
255/40 Z R 17	94Y	670	SP Sport 9000 MFS	1940	8.5 - 10
o 255/40 Z R 17	94Y	670	SP Sport 9090 MFS	1935	8.5 - 10
255/45 Z R 17	-/-	730	SP Sport 8000 MFS	2020	8 - 9.5 (10)
o 255/45 R 17	98W	750	SP Sport 9000 MFS	2020	8 - 9.5 (10)
o 255/45 R 17	102H Reinforced	850	SP Sport 9000 MFS	2010	8 - 9.5
255/50 Z R 17	-/-	825	SP Sport 2000	2100	7 - 9 (9.5)
265/35 Z R 17	-/-	630	SP Sport 8000 MFS	1900	9 - 10.5 (11)
A 265/40 Z R 17	-/-	710	SP Sport 8000 MFS	1960	9 - 10.5 (11)
265/40 Z R 17	-/-	710	SP Sport 9000 MFS	1965	9 - 10.5 (11)
275/40 Z R 17	-/-	750	SP Sport 8000 MFS	1995	9 - 11 (11.5)
275/40 Z R 17	-/-	750	SP Sport 9000 MFS	1995	9 - 11 (11.5)

# : Neu; o : In Vorbereitung; A : Auslauf; MFS : Mit Felgenschutz

## Lieferprogramm Breitreifen - Sommerprofile -

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
o 215/35 Z R 18	Extra Load	500	SP Sport 9000 MFS	1850	7 - 8.5
225/35 Z R 18	-/-	487	SP Sport 8000 MFS	1875	7.5 - 9
o 225/35 Z R 18	Extra Load	545	SP Sport 9000 MFS	1865	7.5 - 9 (9.5)
225/40 Z R 18	Extra Load	630	SP Sport 9000 MFS	1935	7.5 - 9 (9.5)
225/40 Z R 18	-/-	560	SP Sport 9090 N0 MFS	1960	7.5 - 9
o 225/45 Z R 18	-/-	615	SP Sport 9000 MFS	2010	7.5 - 9
235/40 Z R 18	-/-	615	SP Sport 8000 E MFS	1960	8 - 9.5 (10)
# 235/40 Z R 18	-/-	615	SP Sport 8080 E MFS	1960	8 - 9.5 (10)
235/40 Z R 18	-/-	615	SP Sport 9000 MFS	1965	8 - 9.5 (10)
235/50 Z R 18	-/-	730	SP Sport 2000 MFS	2100	6.5 - 8.5 (9)
o 235/50 R 18	101Y Extra Load	825	SP Sport 9000 MFS	2105	6.5 - 8.5 (9)
A 245/35 Z R 18	-/-	560	SP Sport 8000 MFS	1945	8 - 9.5
o 245/35 Z R 18	-/-	560	SP Sport 9000 MFS	1925	8 - 9.5 (10)
245/40 Z R 18	-/-	650	SP Sport 8000 MFS	1990	8 - 9.5 (10)
245/40 Z R 18	-/-	650	SP Sport 8080 E MFS	1985	8 - 9.5 (10)
245/40 Z R 18	-/-	650	SP Sport 9000 MFS	2000	8 - 9.5 (10)
245/45 Z R 18	-/-	710	SP Sport 8000 MFS	2065	7.5 - 9 (9.5)
# 245/45 R 18	100H Reinforced	800	SP Sport 9000 MFS	2065	7.5 - 9
245/45 R 18	96Y	710	SP Sport 9000 MFS	2065	7.5 - 9 (9.5)
o 245/50 R 18	100W	800	SP Sport 2000A MFS	2145	7 - 8.5 (9)
255/35 Z R 18	-/-	600	SP Sport 9000 MFS	1935	8.5 - 10 (10.5)
# 255/35 Z R 18	94Y Extra Load	670	SP Sport 9000 MFS	1935	8.5 - 10 (10.5)
o 255/40 Z R 18	95W	690	SP Sport 9090 MFS	2020	8.5 - 10
o 255/40 Z R 18	-/-	690	SP Sport 9000 MFS	2010	8.5 - 10 (10.5)
o 255/40 R 18	99H Reinforced	775	SP Sport 9000 MFS	2010	8.5 - 10
255/45 Z R 18	-/-	775	SP Sport 2000 MFS	2100	8 - 9.5 (10)
A 255/45 Z R 18	-/-	775	SP Sport 8000 MFS	2095	8 - 9.5 (10)
# 255/45 Z R 18	-/-	775	SP Sport 9000 MFS	2095	8 - 9.5 (10)
o 255/45 R 18	103Y Extra Load	875	SP Sport 9000 MFS	2090	8 - 9.5 (10)
265/30 Z R 18	-/-	560	SP Sport 8000 MFS	1900	9.5 - 10.5
265/35 Z R 18	-/-	650	SP Sport 8000 E MFS	1960	9 - 10.5 (11)
# 265/35 Z R 18	-/-	650	SP Sport 8080 E MFS	1985	9 - 10.5 (11)
265/35 Z R 18	-/-	650	SP Sport 9000 MFS	1965	9 - 10.5 (11)
265/35 Z R 18	-/-	650	SP Sport 9090 N0 MFS	1960	9 - 10.5 (11)
275/35 Z R 18	-/-	690	SP Sport 8000 MFS	1995	9 - 11
275/35 Z R 18	-/-	690	SP Sport 8080 E MFS	1985	9 - 11
275/35 Z R 18	-/-	690	SP Sport 9000 MFS	1995	9 - 11 (11.5)

# : Neu; o : In Vorbereitung; A : Auslauf; MFS : Mit Felgenschutz

**Lieferprogramm Breitreifen - Sommerprofile -**

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
275/40 R 18	99Y M0	775	SP Sport 9000 A MFS	2065	9 - 11
o 285/30 Z R 18	-/-	650	SP Sport 9090 MFS	1935	10 - 11 (11.5)
285/35 Z R 18	-/-	730	SP Sport 8000 MFS	2000	9.5 - 11 (11.5)
285/35 Z R 18	-/-	730	SP Sport 9000 MFS	2000	9.5 - 11 (11.5)
o 285/35 Z R 18	97W	730	SP Sport 9090 MFS	2010	9.5 - 11
A 285/40 Z R 18	-/-	825	SP Sport 8000 MFS	2095	9.5 - 11 (11.5)
285/40 Z R 18	-/-	825	SP Sport 9000 MFS	2095	9.5 - 11 (11.5)
285/50 R 18	109W	1030	SP Sport 9000 MFS	2265	8 - 10
o 225/40 Z R 19	-/-	580	SP Sport 9000 MFS	2010	7.5 - 9 (9.5)
235/35 Z R 19	Extra Load	615	SP Sport 9000 MFS	1965	8 - 9.5
o 245/30 Z R 19	Extra Load	580	SP Sport 9000 MFS	1930	8 - 9.5
A 245/35 Z R 19	Reinforced	650	SP Sport 8000 MFS	2015	8 - 9.5
o 245/35 Z R 19	Extra Load	650	SP Sport 9000 MFS	2010	8 - 9.5 (10)
245/40 Z R 19	-/-	670	SP Sport 9000 MFS	2065	8 - 9.5
o 245/45 Z R 19	-/-	750	SP Sport 9000 MFS	2150	7.5 - 9 (9.5)
o 255/35 Z R 19	-/-	630	SP Sport 9000 MFS	2010	8.5 - 10 (10.5)
o 255/35 Z R 19	-/-	630	SP Sport 9090 MFS	2025	8.5 - 10
A 255/40 Z R 19	-/-	710	SP Sport 8000 MFS	2095	8.5 - 10 (10.5)
255/40 Z R 19	-/-	710	SP Sport 9000 MFS	2095	8.5 - 10 (10.5)
265/30 Z R 19	Extra Load	650	SP Sport 9000 MFS	1965	9.5 - 10.5
275/35 Z R 19	M0	710	SP Sport 9000 MFS	2065	9 - 11
o 275/40 Z R 19	-/-	825	SP Sport 9000 MFS	2150	9 - 11 (11.5)
o 275/45 R 19	108Y Extra Load	1000	SP Sport 9000 MFS	2225	8.5 - 10 (10.5)
A 285/30 Z R 19	-/-	670	SP Sport 8000 MFS	2005	9.5 - 11
o 285/30 Z R 19	-/-	670	SP Sport 9000 MFS	2005	9.5 - 11 (11.5)
o 285/30 Z R 19	-/-	670	SP Sport 9090 MFS	2015	9.5 - 11
A 285/35 Z R 19	-/-	710	SP Sport 8000 MFS	2095	9.5 - 11 (11.5)
o 285/35 Z R 19	-/-	710	SP Sport 9000 MFS	2090	9.5 - 11 (11.5)
295/45 Z R 19	-/-	1030	SP Sport 9000 MFS	2265	9.5 - 11
o 305/25 Z R 19	-/-	630	SP Sport 9000 MFS	1935	11-12 (12.5)

245/35 Z R 20	-/-	615	SP Sport 9000 MFS	2075	8 - 9.5
o 245/40 Z R 20	-/-	690	SP Sport 9000 MFS	2150	8 - 9.5 (10)

# : Neu; o : In Vorbereitung; A : Auslauf; MFS : Mit Felgenschutz

**Lieferprogramm Breitreifen - Sommerprofile -**

Reifengröße	Betriebskennung	Tragfähigkeit [kg]	Profil	Abrollumf. effekt. [mm]	Zul. Felgen [Zoll] (mögl. Ausnahmen)
o 255/35 Z R 20	97Y Extra Load	730	SP Sport 9000 MFS	2090	8.5 - 10 (10.5)
265/35 Z R 20	-/-	690	SP Sport 8000 MFS	2105	9 - 10.5
o 275/35 Z R 20	-/-	750	SP Sport 9000 MFS	2150	9 - 11 (11.5)
o 275/40 R 20	102V	850	SP Sport 9000 MFS	2225	9 - 11
285/30 Z R 20	-/-	690	SP Sport 9000 MFS	2075	9.5 - 11
295/40 Z R 20	-/-	950	SP Sport 9000 MFS	2265	10 - 11.5
o 315/35 R 20	106V	950	SP Sport 9000 MFS	2225	11 - 13
o 335/30 Z R 20	-/-	900	SP Sport 9000 MFS	2170	12 - 13 (13.5)
# 245/35 Z R 21	Extra Load	710	SP Sport 9000 MFS	2155	8 - 9.5 (10)
o 275/35 Z R 21	Extra Load	875	SP Sport 9000 MFS	2225	9 - 11
o 285/30 Z R 21	-/-	710	SP Sport 9000 MFS	2150	9.5 - 11
o 325/30 Z R 21	-/-	900	SP Sport 9000 MFS	2225	11.5 - 13
# 285/30 Z R 22	Extra Load	825	SP Sport 9000 MFS	2250	10 - 11.5

# : Neu; o : In Vorbereitung; A : Auslauf; MFS : Mit Felgenschutz